



JUN 11 2002

CERTIFICATE OF MAILING

COPY OF PAPERS  
ORIGINALLY FILED

I hereby certify that this paper is being deposited with the U.S. Postal Service as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington D.C. 20231, on June 3, 2002.

*Elizabeth Miller*  
Elizabeth Miller

6/03/2002  
Date

#3



JUN 11 2002

PATENTS  
Agilent Docket No.:10020405-1

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of: Paul K. Wolber et al.

Serial No.: 10/086,748

Group Art Unit: 2851

Filed: February 28, 2002

Examiner: Unassigned

Title: Calibration of Molecular Array Data

Office of Initial Patent Examination  
Customer Service Center  
Washington, DC 20231

**REQUEST FOR CORRECTION OF FILING RECEIPT**  
**FILED WITH SUBMITTAL OF MISSING PARTS**

Please correct the Official Filing Receipt of the above referenced application as follows:

1. Under "Applicant(s)", please change:

Paul K. Wolber, Residence Not Provided, to Los Altos, CA

Glenda C. Dellenstarr, Residence Not Provided, to Belmont, CA

2. Under "Title", please change:

Calibration of molecular array data to: Calibration of molecular array data

A copy of the Official Filing Receipt is enclosed with the described corrections so noted.

Applicants respectfully request the issuance of a Corrected Filing Receipt. Should you have any additional questions, please telephone the undersigned at (650) 485-2386.

Respectfully submitted,

Gordon M. Stewart  
Attorney for Applicants  
Reg. No. 30,528

Agilent Technologies, Inc.  
Legal Department, M/S DL429  
IP Administration  
P.O. Box 7599  
Loveland, CO 80537-0599



UNITED STATES PATENT AND TRADEMARK OFFICE

JUN 11 2002  
PATENT & TRADEMARK OFFICE  
U.S. GOVERNMENT

RECEIVED Page 1 of 2

APR - 8 2002

AGILENT LEGAL

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING DATE	GRP ART UNIT	FIL FEE REC'D	ATTY.DOCKET.NO	DRAWINGS	TOT CLAIMS	IND CLAIMS
10/086,748	02/28/2002	2851	740	10020405-1	14	14	2

CONFIRMATION NO. 8764

AGILENT TECHNOLOGIES, INC.  
Legal Department, DL429  
Intellectual Property Administration  
P.O. Box 7599  
Loveland, CO 80537-0599

COPY OF PAPERS  
ORIGINALLY FILED

FILING RECEIPT



OC000000007765673\*

6MS

Date Mailed: 04/02/2002

Receipt is acknowledged of this nonprovisional Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Customer Service Center. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

/ Paul K. Wolber, Residence Not Provided; change to: Los Altos, CA  
/ Glenda C. Delenstarr, Residence Not Provided; change to: Belmont, CA

Domestic Priority data as claimed by applicant

THIS APPLICATION IS A CIP OF 09/659,173 09/11/2000

Foreign Applications

If Required, Foreign Filing License Granted 04/02/2002

Projected Publication Date: To Be Determined - pending completion of Missing Parts

Non-Publication Request: No

Early Publication Request: No

Title

✓ Calibration of molecular array data change to: Calibration of molecular array data

Preliminary Class

702

AGILENT TECHNOLOGIES, INC.  
Legal Department, DL429  
Intellectual Property Administration  
P. O. Box 7599  
Lakewood, Colorado 80537-0599



RECEIVED  
COPY OF PAPERS  
ORIGINALLY FILED

*Receipt*  
PATENT APPLICATION

ATTORNEY DOCKET NO. 10020405-1

IN THE  
UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Paul K. Wolber et al.

Serial No.: 10/086,748

Examiner: Unassigned

Filing Date: Feb. 28, 2002

Group Art Unit: 2851

Title: CALIBRATION OF MOLECULAR ARRAY DATA

COMMISSIONER FOR PATENTS  
Washington, D.C. 20231

TRANSMITTAL LETTER FOR SUBMITTAL OF MISSING PARTS

Sir:

This is in response to a Notice to File Missing Parts of Application under 37 CFR 1.53(f) mailed on April 2, 2002. Enclosed is a copy of said Notice and the following documents and fees to complete the filing requirements of the above-identified application.

(X) Executed Declaration and Power of Attorney. The above-identified application is the same application which the inventor executed by signing the enclosed declaration.

(X) Substitute drawings (12 sheets) in compliance with 37 CFR 1.84 with correction of margins.

(X) Missing Parts Surcharge \$130.00

(X) Request for Correction of Filing Receipt and copy of Filing Receipt with corrections noted.

Please charge to Deposit Account 50-1078 the sum of \$130.00. At any time during the pendency of this application, please charge any fees required or credit any overpayment to Deposit Account 50-1078 pursuant to 37 CFR 1.25.

(X) A duplicate copy of this transmittal letter is enclosed.

Respectfully submitted,

Paul K. Wolber et al.

By Gordon M. Stwart

Gordon M. Stwart

Attorney/Agent for Applicant(s)  
Reg. No. 30,528

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, Washington, D.C. 20231.

Date of Deposit: June 3, 2002

Typed Name: Elizabeth Miller

Signature: Elizabeth Miller

Date: June 3, 2002

Telephone No.: (650) 485-2386



UNITED STATES PATENT AND TRADEMARK OFFICE



COPY OF PAPERS  
ORIGINALLY FILED

Page 1 of 2

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/086,748	02/28/2002	Paul K. Wolber	10020405-1

CONFIRMATION NO. 8764

FORMALITIES LETTER



\*OC000000007765674\*

AGILENT TECHNOLOGIES, INC.  
Legal Department, DL429  
Intellectual Property Administration  
P.O. Box 7599  
Loveland, CO 80537-0599

Date Mailed: 04/02/2002

**NOTICE TO FILE MISSING PARTS OF NONPROVISIONAL APPLICATION**

**FILED UNDER 37 CFR 1.53(b)**

*Filing Date Granted*

An application number and filing date have been accorded to this application. The item(s) indicated below, however, are missing. Applicant is given **TWO MONTHS** from the date of this Notice within which to file all required items and pay any fees required below to avoid abandonment. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

- The oath or declaration is missing.  
*A properly signed oath or declaration in compliance with 37 CFR 1.63, identifying the application by the above Application Number and Filing Date, is required.*
- To avoid abandonment, a late filing fee or oath or declaration surcharge as set forth in 37 CFR 1.16(l) of \$130 for a non-small entity, must be submitted with the missing items identified in this letter.
- **The balance due by applicant is \$ 130.**

The application is informal since it does not comply with the regulations for the reason(s) indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

*S. H. Gray*  
Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE